

NOTE:
CONTRACTOR SHALL FIELD VERIFY EXACT LOCATIONS OF HUB DRAINS AND DRAIN LINES. EXISTING DRAWINGS HAD LIMITED INFORMATION. CONTRACTOR SHALL COORDINATE ALL DEMO AND NEW WORK WITH EXISTING CONDITIONS.


PLUMBING LEGEND	
	- EXISTING CLEAN OUT
	- EXISTING FLOOR SINK
	- EXISTING FLOOR DRAIN
	- WALL CLEAN OUT (WCO)
	- EXISTING HUB DRAIN TO REMAIN EXISTING
	- HUB DRAIN TO BE REMOVED
	- EXISTING VENT THROUGH ROOF
	- EXISTING LINE CAPPED OFF
	- TRENCH DRAIN
	- CUT TO THIS LOCATION
	- ABOVE FINISH FLOOR
	- EXISTING
	- EXISTING GREASE WASTE
	- EXISTING SANITARY WASTE LINE
	- EXISTING VENT LINE
	- EXISTING PLUMBING LINE TO BE REMOVED
	- FIXTURE TO BE REMOVED

- GENERAL NOTES**
- ALL CONTRACTORS SHALL COMPLY WITH ALL STATE AND LOCAL CODES.
 - THE GENERAL CONTRACTOR SHALL VERIFY LOCATION OF ALL UTILITIES AS NEEDED. ALL RELOCATION OF UTILITIES SHALL BE COORDINATED WITH FOOD LION CONSTRUCTION MANAGER AND/OR LOCAL UTILITIES.
 - GENERAL CONTRACTOR SHALL PATCH AND REPAIR FLOOR, CEILING, ADJOINING WALLS AND OPENINGS WHERE WALLS AND EQUIPMENT HAVE BEEN REMOVED. WORK WILL BE DONE IN A PROFESSIONAL MANNER WITH MATCHING MATERIALS.
 - GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR REPAIRING ALL ROOF OPENINGS OR PENETRATIONS CAUSED BY THE REMOVAL OF STRUCTURAL, PLUMBING, ELECTRICAL, MECHANICAL, AND REFRIGERATION MATERIALS OR EQUIPMENT. REFER TO FINISH SCHEDULE. COORDINATE WITH LANDLORD'S ROOFING CONTRACTOR TO MAINTAIN WARRANTY.
 - GENERAL CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVING AND CAPPING ALL ELECTRICAL STUB-UPS, DRAINS AND PITS THAT CANNOT BE REUSED, PATCH AND REPAIR FLOOR AS NEEDED.
 - PLUMBING CONTRACTOR SHALL COORDINATE THE REMOVAL AND STORAGE OF PLUMBING FIXTURES WITH THE FOOD LION CONSTRUCTION MANAGER. PLUMBING DEMOLITION WILL NOT BE ALLOWED UNTIL THE COORDINATION IS COMPLETE.
 - THE EXISTING CONDITIONS ON THIS SHEET ARE INTENDED TO CONVEY THE APPROXIMATE CONDITION OF THE BUILDING. ALL DATA SHALL BE VERIFIED BY THE GENERAL CONTRACTOR PRIOR TO THE COMMENCEMENT OF WORK. ANY CONDITIONS WHICH DIFFER SUBSTANTIALLY FROM THAT INDICATED ON THE EXISTING FIXTURE PLAN OR IN THE CONSTRUCTION DOCUMENTS SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE FOOD LION CONSTRUCTION MANAGER.
 - THE DEMOLITION PLAN IDENTIFIES GENERAL AREA/ITEMS TO BE DEMOLISHED ONLY AND IS NOT INTENDED TO ILLUSTRATE EACH AND EVERY ITEM REQUIRING DEMOLITION. THE GENERAL CONTRACTOR SHALL FAMILIARIZE HIMSELF/HERSELF WITH ALL EXISTING CONDITIONS IN ORDER TO ASCERTAIN THE FULL EXTENT OF DEMOLITION TO BE PERFORMED. CLOSE COORDINATION WITH THE FOOD LION CONSTRUCTION MANAGER IS CRITICAL DURING ALL PHASES OF DEMOLITION AND CONSTRUCTION.

- KEY NOTES**
- REMOVE EXISTING HUB DRAIN AND CAP BRANCH LINE AT MAIN. REPAIR FLOOR TO MATCH EXISTING.
 - REMOVE EXISTING HUB DRAIN AND PREPARE BRANCH LINE TO BE MODIFIED. SEE SHEET P1.01 FOR NEW WORK. REPAIR FLOOR TO MATCH EXISTING.
 - PER CRESCENT REPORT D-57 CLEANOUT NOT FOUND (C021) NEEDS TO BE LOCATED. CONTRACTOR SHALL FIELD VERIFY EXACT LOCATION OF CLEANOUT AND MAKE ACCESSIBLE. REPLACE FLOOR TO RECEIVE NEW FINISHES. SEE SHEET P1.01 FOR NEW WORK.
 - HUMIDIFIER REMOVAL: REMOVE BOX/CHASE, TERMINATE ELECTRICAL TO A JUNCTION BOX ABOVE THE CEILING, CAP OFF WATER ABOVE CEILING, REMOVE VISIBLE PLUMBING AND ELECTRICAL. SEAL ALL PENETRATIONS.
 - RELOCATE EXISTING DELI/BAKERY SINK. CAP EXISTING WATER AND WASTE LINES AT MAINS. REMOVE EXISTING FLOOR SINK AS INDICATED. SEE SHEETS P1.01 AND P1.03 FOR NEW WORK. REPAIR WALL TO RECEIVE NEW FINISHES AND FLOOR TO MATCH EXISTING.
 - CONTRACTOR SHALL FIELD VERIFY THAT EXISTING DRAIN IS INSTALLED. IF DRAIN IS INSTALLED FOLLOW KEYED NOTE #1.

1 PLUMBING DEMOLITION PLAN
P0.01 SCALE: 3/32" = 1'-0"

PROFESSIONAL'S SEAL:



08/29/2022
CORPORATE SEAL:

REVISIONS

NO	DATE	REMARKS

FOOD LION REMODEL STORE #1657
4330 E. TENTH STREET
GREENVILLE, NC

PROJECT NO: 1657/FLMK22
DATE: 08/29/2022

20 OF 40

P0.01

PLUMBING DEMOLITION PLAN

CHECKED: RJC/DRAWN: BJE