



3B REFLECTED CEILING PLAN - MAIN LEVEL
SCALE: 3/32" = 1'-0"

5A REFLECTED CEILING PLAN - ELEVATED OFFICES
SCALE: 3/32" = 1'-0"

PLAN NOTES

1. FURNISH & INSTALL NEW 2x4 CEILING PANELS AND GRID SYSTEM. SEE ELECTRICAL AND HVAC DRAWINGS FOR ADDITIONAL REQUIREMENTS.
2. G.C. TO HIRE PROFESSIONAL CLEANER TO CLEAN EXISTING CEILING GRIDS, PANELS, LIGHT LENSES, HVAC GRILLES/DIFFUSERS, ETC..

GENERAL NOTES

1. SEE SPECIFICATION SECTIONS 016125, 016127, 074300, 083113, 095113 AND 099100 FOR MATERIALS INFORMATION.
2. ABBREVIATIONS: M.E. = MATCH EXISTING; ETR = EXISTING TO REMAIN.
3. ALL EXISTING CEILING GRIDS RECEIVING NEW CEILING PANELS ARE TO HAVE GRID SYSTEMS CLEANED PRIOR TO PANEL INSTALLATION.
4. MAINTAIN ALL EXISTING FIRE PROTECTION AND DETECTION SYSTEMS DURING CEILING WORK.
5. A LICENSED FIRE PROTECTION ENGINEER SHALL ANALYZE AND PREPARE, UNDER A SEPARATE SUBMITTAL, MODIFICATIONS/ADDITIONS DESIGNED FOR ALL NEW/EXISTING BUILDING SPACES TO MEET ALL LOCAL AND STATE FIRE PROTECTION REQUIREMENTS. FURNISH & INSTALL NEW FIRE SPRINKLER PROTECTION SYSTEM MATERIALS PER NEW SPRINKLER DRAWINGS & SPECIFICATION SECTION 211000.
6. EXISTING EXHAUST HOODS TO REMAIN.

LEGEND

- [Shaded Box] NEW SUSPENDED ACOUSTICAL CEILING PANELS & GRID SYSTEM
- [C] CEILING FINISH MATERIAL
- [H] CEILING HEIGHT (ABOVE FINISHED FLOOR)

NO.	REVISIONS

MARK	DATE	DESCRIPTION