

Store No.: R-504		DESIGN AMBIENT: 95°F		ALTITUDE: 207		DATE: 8/4/20		F1 DATE: 7/22/20																																																																																																																																																																																																																																																																																																																																																																																																														
KMA: MID ATLANTIC		VOLTAGE: 480				BY: D. SPIVEY		REV: 1: D. SPIVEY																																																																																																																																																																																																																																																																																																																																																																																																														
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST		REFRIG	TOTAL LOAD	PARALLEL RACK INFORMATION																																																																																																																																																																																																																																																																																																																																																																																																						
												#/DAY	TYPE			COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
<p>A</p> <table border="1"> <thead> <tr> <th>RACK</th><th>CKT</th><th>L</th><th>W</th><th>H</th><th>CASE/COIL MODEL</th><th>DESCRIPTION</th><th>DEPT</th><th>STAT</th><th>EVAP TEMP</th><th>LOAD (MBH)</th><th>CON-TROL</th><th>DEFROST #/DAY</th><th>DEFROST TYPE</th><th>REFRIG</th><th>TOTAL LOAD</th><th>COMPRESSOR</th><th>HP</th><th>SUCT TEMP</th><th>CAPACITY</th><th>THR</th><th>PERCENT LOADED</th></tr> </thead> <tbody> <tr><td></td><td>1</td><td>16</td><td>28</td><td>10</td><td>EXIST COL(S)</td><td>FREEZER</td><td>GROC</td><td>EX</td><td>-22</td><td>32.7</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td>R404A</td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>40</td><td>15</td><td>10</td><td>(2) MLT420-S</td><td>FREEZER</td><td>GROC</td><td>EX</td><td>-22</td><td>42.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>3</td><td>2</td><td>QTY</td><td></td><td>FW(LT-E)-8</td><td>8' WIDE ISLAND, LOW TEMP</td><td>MEAT</td><td>EX</td><td>-20</td><td>8.0</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>1</td><td>QTY</td><td></td><td>FW(LT-E)-4</td><td>WIDE ISLAND END, LOW TEMP</td><td>MEAT</td><td>EX</td><td>-20</td><td>4.2</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>1</td><td>QTY</td><td></td><td>FN(LT-E)-12L</td><td>12' NARROW ISLAND, LOW TEMP WITH LID</td><td>SEAF</td><td>EX</td><td>-15</td><td>2.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>1</td><td>QTY</td><td></td><td>FN(LT-E)-8L</td><td>8' NARROW ISLAND, LOW TEMP WITH LID</td><td>SEAF</td><td>EX</td><td>-15</td><td>1.5</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>5</td><td></td><td></td><td></td><td>SPARE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>6</td><td>2</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW</td><td>MEAT</td><td>EX</td><td>-11</td><td>10.9</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-4</td><td>4 DOOR G.D. LOW TEMP, NARROW</td><td>MEAT</td><td>EX</td><td>-11</td><td>4.4</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>7</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-3</td><td>3 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>NUTR</td><td>EX</td><td>-19</td><td>3.2</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>3</td><td>QTY</td><td></td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>NUTR</td><td>EX</td><td>-19</td><td>17.4</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>8</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW</td><td>SEAF</td><td>EX</td><td>-11</td><td>5.5</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>1</td><td>QTY</td><td></td><td></td><td>RL(NLT-E)-LED-3</td><td>3 DOOR G.D. LOW TEMP, NARROW</td><td>SEAF</td><td>EX</td><td>-11</td><td>3.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>9</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>BAK</td><td>EX</td><td>-19</td><td>5.8</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>10</td><td>15</td><td>18</td><td>10</td><td>MLT4-220-S</td><td>FREEZER</td><td>BAK</td><td>EX</td><td>-22</td><td>22.1</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>11</td><td>10</td><td>9'2"</td><td>8</td><td>MLT4-100-S</td><td>FREEZER</td><td>DELI</td><td>EX</td><td>-22</td><td>9.0</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Run both suction groups as one rack at -25°F</p> <p>06DR3370DA3650 10 -25 44.4 72.9 06DR3370DA3650 10 -25 44.4 72.9 06EY465340 20 -25 72.4 130.2 06DR228DC3650 7.5 -25 33.1 54.3 06DR228DC3650 7.5 -25 33.1 54.3 06E2450-370 15 -25 59.3 100.5</p> <p>172.6 286.7 475.1 60.2%</p> <p>EXISTING 460V Air Cooled Condenser HUSSMANN LAVF-23410, 52.54 mbh/deg td capacity, 68 circuits, 9.0 TD Setpoint</p>																	RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED		1	16	28	10	EXIST COL(S)	FREEZER	GROC	EX	-22	32.7				1	EL/TEMP	R404A								2	40	15	10	(2) MLT420-S	FREEZER	GROC	EX	-22	42.3				1	EL/TEMP									3	2	QTY		FW(LT-E)-8	8' WIDE ISLAND, LOW TEMP	MEAT	EX	-20	8.0				1	EL/TEMP									4	1	QTY		FW(LT-E)-4	WIDE ISLAND END, LOW TEMP	MEAT	EX	-20	4.2				1	EL/TEMP									4	1	QTY		FN(LT-E)-12L	12' NARROW ISLAND, LOW TEMP WITH LID	SEAF	EX	-15	2.3				1	EL/TEMP									4	1	QTY		FN(LT-E)-8L	8' NARROW ISLAND, LOW TEMP WITH LID	SEAF	EX	-15	1.5				1	EL/TEMP									5				SPARE																			6	2	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	MEAT	EX	-11	10.9				1	EL/TEMP									2	1	QTY		RL(NLT-E)-LED-4	4 DOOR G.D. LOW TEMP, NARROW	MEAT	EX	-11	4.4				1	EL/TEMP									7	1	QTY		RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	NUTR	EX	-19	3.2				1	EL/TEMP									3	QTY			RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	NUTR	EX	-19	17.4				1	EL/TEMP									8	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	SEAF	EX	-11	5.5				1	EL/TEMP									1	QTY			RL(NLT-E)-LED-3	3 DOOR G.D. LOW TEMP, NARROW	SEAF	EX	-11	3.3				1	EL/TEMP									9	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	BAK	EX	-19	5.8				1	EL/TEMP									10	15	18	10	MLT4-220-S	FREEZER	BAK	EX	-22	22.1				1	EL/TEMP									11	10	9'2"	8	MLT4-100-S	FREEZER	DELI	EX	-22	9.0				1	EL/TEMP							
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
	1	16	28	10	EXIST COL(S)	FREEZER	GROC	EX	-22	32.7				1	EL/TEMP	R404A																																																																																																																																																																																																																																																																																																																																																																																																						
	2	40	15	10	(2) MLT420-S	FREEZER	GROC	EX	-22	42.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	3	2	QTY		FW(LT-E)-8	8' WIDE ISLAND, LOW TEMP	MEAT	EX	-20	8.0				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	4	1	QTY		FW(LT-E)-4	WIDE ISLAND END, LOW TEMP	MEAT	EX	-20	4.2				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	4	1	QTY		FN(LT-E)-12L	12' NARROW ISLAND, LOW TEMP WITH LID	SEAF	EX	-15	2.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	4	1	QTY		FN(LT-E)-8L	8' NARROW ISLAND, LOW TEMP WITH LID	SEAF	EX	-15	1.5				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	5				SPARE																																																																																																																																																																																																																																																																																																																																																																																																																	
	6	2	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	MEAT	EX	-11	10.9				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	2	1	QTY		RL(NLT-E)-LED-4	4 DOOR G.D. LOW TEMP, NARROW	MEAT	EX	-11	4.4				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	7	1	QTY		RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	NUTR	EX	-19	3.2				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	3	QTY			RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	NUTR	EX	-19	17.4				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	8	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	SEAF	EX	-11	5.5				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	1	QTY			RL(NLT-E)-LED-3	3 DOOR G.D. LOW TEMP, NARROW	SEAF	EX	-11	3.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	9	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	BAK	EX	-19	5.8				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	10	15	18	10	MLT4-220-S	FREEZER	BAK	EX	-22	22.1				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	11	10	9'2"	8	MLT4-100-S	FREEZER	DELI	EX	-22	9.0				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
<p>B</p> <table border="1"> <thead> <tr> <th>RACK</th><th>CKT</th><th>L</th><th>W</th><th>H</th><th>CASE/COIL MODEL</th><th>DESCRIPTION</th><th>DEPT</th><th>STAT</th><th>EVAP TEMP</th><th>LOAD (MBH)</th><th>CON-TROL</th><th>DEFROST #/DAY</th><th>DEFROST TYPE</th><th>REFRIG</th><th>TOTAL LOAD</th><th>COMPRESSOR</th><th>HP</th><th>SUCT TEMP</th><th>CAPACITY</th><th>THR</th><th>PERCENT LOADED</th></tr> </thead> <tbody> <tr><td></td><td>1</td><td>4</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>23.2</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-2</td><td>2 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>2.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>3</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-2</td><td>2 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>2.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-3</td><td>3 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>3.5</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>5</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-2</td><td>2 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>2.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>1</td><td>QTY</td><td></td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-11</td><td>11.6</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>1</td><td>QTY</td><td></td><td></td><td>RL(NLT-E)-LED-3</td><td>3 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>3.5</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>6</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-2</td><td>2 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>2.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>7</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-2</td><td>2 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>2.3</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>8</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-3</td><td>3 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>3.5</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>9</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. ICE CREAM TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-19</td><td>5.8</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>10</td><td>8'4"</td><td>9'2"</td><td>9</td><td>MLT4100S</td><td>CLICKLIST FREEZER</td><td>GROC</td><td>EX</td><td>-22</td><td>8.6</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>11</td><td>15'5"</td><td>9'2"</td><td>9</td><td>LQ4819SS</td><td>CLICKLIST COOLER</td><td>GROC</td><td>EX</td><td>26</td><td>11.2</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Configuration: Horizontal Reclaim: None Controller: See Unit 'F' Control Voltage: 208V Control Valve Voltage: 208V Compressor Voltage: 460V</p> <p>ZF18K4E -25 20.1 33.8 ZF18K4E -25 20.1 33.8 ZF18K4E -25 20.1 33.8 ZF18K4E -25 20.1 33.8</p> <p>80.4 135.1 102.7%</p> <p>EXISTING 460V Air Cooled Condenser with NEMA 1 VSD Package: HUSSMANN LAVF-22210, 20.84 mbh/deg td capacity, 68 circuits, 6.5 TD</p>																	RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED		1	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	23.2				1	EL/TEMP									2	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP									3	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP									4	1	QTY		RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	3.5				1	EL/TEMP									5	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP									1	QTY			RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-11	11.6				1	EL/TEMP									1	QTY			RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	3.5				1	EL/TEMP									6	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP									7	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP									8	1	QTY		RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	3.5				1	EL/TEMP									9	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	5.8				1	EL/TEMP									10	8'4"	9'2"	9	MLT4100S	CLICKLIST FREEZER	GROC	EX	-22	8.6				1	EL/TEMP									11	15'5"	9'2"	9	LQ4819SS	CLICKLIST COOLER	GROC	EX	26	11.2				1	OT/TIME																																																																												
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
	1	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	23.2				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	2	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	3	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	4	1	QTY		RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	3.5				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	5	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	1	QTY			RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-11	11.6				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	1	QTY			RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	3.5				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	6	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	7	1	QTY		RL(NLT-E)-LED-2	2 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	2.3				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	8	1	QTY		RL(NLT-E)-LED-3	3 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	3.5				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	9	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. ICE CREAM TEMP, NARROW	GROC	EX	-19	5.8				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	10	8'4"	9'2"	9	MLT4100S	CLICKLIST FREEZER	GROC	EX	-22	8.6				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	11	15'5"	9'2"	9	LQ4819SS	CLICKLIST COOLER	GROC	EX	26	11.2				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
<p>C</p> <table border="1"> <thead> <tr> <th>RACK</th><th>CKT</th><th>L</th><th>W</th><th>H</th><th>CASE/COIL MODEL</th><th>DESCRIPTION</th><th>DEPT</th><th>STAT</th><th>EVAP TEMP</th><th>LOAD (MBH)</th><th>CON-TROL</th><th>DEFROST #/DAY</th><th>DEFROST TYPE</th><th>REFRIG</th><th>TOTAL LOAD</th><th>COMPRESSOR</th><th>HP</th><th>SUCT TEMP</th><th>CAPACITY</th><th>THR</th><th>PERCENT LOADED</th></tr> </thead> <tbody> <tr><td></td><td>1</td><td>3</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-11</td><td>16.4</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>3</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK</td><td>GROC</td><td>EX</td><td>-11</td><td>14.6</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>3</td><td>1</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK</td><td>GROC</td><td>EX</td><td>-11</td><td>14.6</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>4</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-11</td><td>21.8</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>5</td><td>4</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-11</td><td>21.8</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>6</td><td>2</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-11</td><td>10.9</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>QTY</td><td></td><td></td><td>RL(NLT-E)-LED-4</td><td>4 DOOR G.D. LOW TEMP, NARROW</td><td>GROC</td><td>EX</td><td>-11</td><td>4.4</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>7</td><td>4</td><td>QTY</td><td></td><td>RL(NLT-E)-LED-5</td><td>5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK</td><td>GROC</td><td>EX</td><td>-11</td><td>19.4</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Configuration: Horizontal Reclaim: Air Controller: See Unit 'E' Control Voltage: 208V Control Valve Voltage: 208V Compressor Voltage: 460V</p> <p>ZF18K4E -14 25.2 40.1 ZF18K4E -14 25.2 40.1 ZF18K4E -14 25.2 40.1 ZF18K4E -14 25.2 40.1 ZF18K4E -14 25.2 40.1 ZF18K4E -14 25.2 40.1</p> <p>151.4 240.5 81.8%</p> <p>EXISTING 460V Air Cooled Condenser with NEMA 1 VSD Package: HUSSMANN LAVF-22310, 27.45 mbh/deg td capacity, 68 circuits, 8.6 TD</p>																	RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED		1	3	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	16.4				1	EL/TEMP									2	3	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK	GROC	EX	-11	14.6				1	EL/TEMP									3	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK	GROC	EX	-11	14.6				1	EL/TEMP									4	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	21.8				1	EL/TEMP									5	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	21.8				1	EL/TEMP									6	2	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	10.9				1	EL/TEMP									4	QTY			RL(NLT-E)-LED-4	4 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	4.4				1	EL/TEMP									7	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK	GROC	EX	-11	19.4				1	EL/TEMP																																																																																																																																																																																															
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
	1	3	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	16.4				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	2	3	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK	GROC	EX	-11	14.6				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	3	1	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK	GROC	EX	-11	14.6				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	4	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	21.8				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	5	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	21.8				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	6	2	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	10.9				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	4	QTY			RL(NLT-E)-LED-4	4 DOOR G.D. LOW TEMP, NARROW	GROC	EX	-11	4.4				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	7	4	QTY		RL(NLT-E)-LED-5	5 DOOR G.D. LOW TEMP, NARROW, BACK-TO-BACK	GROC	EX	-11	19.4				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
<p>D</p> <table border="1"> <thead> <tr> <th>RACK</th><th>CKT</th><th>L</th><th>W</th><th>H</th><th>CASE/COIL MODEL</th><th>DESCRIPTION</th><th>DEPT</th><th>STAT</th><th>EVAP TEMP</th><th>LOAD (MBH)</th><th>CON-TROL</th><th>DEFROST #/DAY</th><th>DEFROST TYPE</th><th>REFRIG</th><th>TOTAL LOAD</th><th>COMPRESSOR</th><th>HP</th><th>SUCT TEMP</th><th>CAPACITY</th><th>THR</th><th>PERCENT LOADED</th></tr> </thead> <tbody> <tr><td></td><td>1</td><td>2</td><td>QTY</td><td></td><td>DDXLP-8</td><td>8' FIVE DECK WITH DOORS</td><td>BEV.</td><td>NEW</td><td>32</td><td>4.3</td><td>ORIT/EVR</td><td>1</td><td>OT/TIME</td><td>R404A</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>2</td><td>QTY</td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>BEV.</td><td>EX</td><td>32</td><td>6.5</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>1</td><td>QTY</td><td></td><td></td><td>DDXLP-8 (GL DR)</td><td>8' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>BEV.</td><td>EX</td><td>32</td><td>1.6</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>456</td><td>SQ FT</td><td>10</td><td></td><td>(2) LFA-230-S</td><td>COOLER W/ (14) DOORS (ZONE 1)</td><td>DAIRY</td><td>EX</td><td>26</td><td>37.3</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>437</td><td>SQ FT</td><td>10</td><td></td><td>LFA-270-S</td><td>COOLER (ZONE 2)</td><td>DAIRY</td><td>EX</td><td>26</td><td>23.3</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>3</td><td>QTY</td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>DAIRY</td><td>EX</td><td>32</td><td>9.8</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>5</td><td>4</td><td>QTY</td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>DAIRY</td><td>EX</td><td>32</td><td>13.0</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>6</td><td>4</td><td>QTY</td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>DAIRY</td><td>EX</td><td>32</td><td>13.0</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>NEW</td><td>7</td><td>2</td><td>QTY</td><td></td><td>S95-33TH-R</td><td>9' WINE MERCHANDISER</td><td>BEV.</td><td>REL.</td><td>45</td><td>24.0</td><td>NONE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Configuration: Vertical Reclaim: Air Controller: See Unit 'E' Control Voltage: 208V Control Valve Voltage: 208V Compressor Voltage: 460V</p> <p>ZB45KCE 24 56.6 73.7 ZB45KCE 24 56.6 73.7 ZB45KCE 24 56.6 73.7 ZB45KCE VALVED OFF ZB45KCE VALVED OFF ZB45KCE VALVED OFF</p> <p>169.7 221.1 78.3%</p> <p>EXISTING 460V Air Cooled Condenser with NEMA 1 VSD Package: HUSSMANN LAVF-22410, 32.08 mbh/deg td capacity, 68 circuits, 6.9 TD</p>																	RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED		1	2	QTY		DDXLP-8	8' FIVE DECK WITH DOORS	BEV.	NEW	32	4.3	ORIT/EVR	1	OT/TIME	R404A										2	2	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	6.5				1	OT/TIME									1	QTY			DDXLP-8 (GL DR)	8' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	1.6				1	OT/TIME									456	SQ FT	10		(2) LFA-230-S	COOLER W/ (14) DOORS (ZONE 1)	DAIRY	EX	26	37.3				1	OT/TIME									437	SQ FT	10		LFA-270-S	COOLER (ZONE 2)	DAIRY	EX	26	23.3				1	OT/TIME									4	3	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	DAIRY	EX	32	9.8				1	OT/TIME									5	4	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	DAIRY	EX	32	13.0				1	OT/TIME									6	4	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	DAIRY	EX	32	13.0				1	OT/TIME								NEW	7	2	QTY		S95-33TH-R	9' WINE MERCHANDISER	BEV.	REL.	45	24.0	NONE																																																																																																																																																																												
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
	1	2	QTY		DDXLP-8	8' FIVE DECK WITH DOORS	BEV.	NEW	32	4.3	ORIT/EVR	1	OT/TIME	R404A																																																																																																																																																																																																																																																																																																																																																																																																								
	2	2	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	6.5				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	1	QTY			DDXLP-8 (GL DR)	8' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	1.6				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	456	SQ FT	10		(2) LFA-230-S	COOLER W/ (14) DOORS (ZONE 1)	DAIRY	EX	26	37.3				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	437	SQ FT	10		LFA-270-S	COOLER (ZONE 2)	DAIRY	EX	26	23.3				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	4	3	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	DAIRY	EX	32	9.8				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	5	4	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	DAIRY	EX	32	13.0				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	6	4	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	DAIRY	EX	32	13.0				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
NEW	7	2	QTY		S95-33TH-R	9' WINE MERCHANDISER	BEV.	REL.	45	24.0	NONE																																																																																																																																																																																																																																																																																																																																																																																																											
<p>E</p> <table border="1"> <thead> <tr> <th>RACK</th><th>CKT</th><th>L</th><th>W</th><th>H</th><th>CASE/COIL MODEL</th><th>DESCRIPTION</th><th>DEPT</th><th>STAT</th><th>EVAP TEMP</th><th>LOAD (MBH)</th><th>CON-TROL</th><th>DEFROST #/DAY</th><th>DEFROST TYPE</th><th>REFRIG</th><th>TOTAL LOAD</th><th>COMPRESSOR</th><th>HP</th><th>SUCT TEMP</th><th>CAPACITY</th><th>THR</th><th>PERCENT LOADED</th></tr> </thead> <tbody> <tr><td></td><td>1</td><td>16</td><td>FT</td><td></td><td>FN(MT)</td><td>ISLAND (MEDIUM TEMP)</td><td>DAIRY</td><td>EX</td><td>19</td><td>4.5</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>2</td><td>QTY</td><td></td><td>FW(MT-E)-8</td><td>8' WIDE ISLAND, MED TEMP</td><td>MEAT</td><td>EX</td><td>19</td><td>6.2</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>3</td><td>32</td><td>15</td><td>10</td><td>LFAE-270-S</td><td>COOLER</td><td>MEAT</td><td>EX</td><td>20</td><td>28.5</td><td></td><td></td><td></td><td>1</td><td>EL/TEMP</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>1</td><td>QTY</td><td></td><td>ESGMS-12</td><td>12' SERVICE</td><td>MEAT</td><td>EX</td><td>22</td><td>3.2</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>5</td><td>1</td><td>QTY</td><td></td><td>PF-6R-60-CMS</td><td>8' MULTI-DECK MEAT/SEAFOOD DOUBLE WIDE ISLAND</td><td>MEAT</td><td>EX</td><td>20</td><td>12.4</td><td></td><td></td><td></td><td>4</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>6</td><td>2</td><td>QTY</td><td></td><td>DSFM-8</td><td>8' SERVICE</td><td>SEAF</td><td>EX</td><td>24</td><td>4.8</td><td></td><td></td><td></td><td>3</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Configuration: Vertical Reclaim: Air Controller: See Unit 'A', 'F', & 'E' Control Voltage: 208V Control Valve Voltage: 208V Compressor Voltage: 460V</p> <p>ZB29KCE 17 28.2 39.0 ZB48KCE 17 54.4 74.2</p> <p>82.6 113.3 75.4%</p>																	RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED		1	16	FT		FN(MT)	ISLAND (MEDIUM TEMP)	DAIRY	EX	19	4.5				1	EL/TEMP									2	2	QTY		FW(MT-E)-8	8' WIDE ISLAND, MED TEMP	MEAT	EX	19	6.2				1	EL/TEMP									3	32	15	10	LFAE-270-S	COOLER	MEAT	EX	20	28.5				1	EL/TEMP									4	1	QTY		ESGMS-12	12' SERVICE	MEAT	EX	22	3.2				1	OT/TIME									5	1	QTY		PF-6R-60-CMS	8' MULTI-DECK MEAT/SEAFOOD DOUBLE WIDE ISLAND	MEAT	EX	20	12.4				4	OT/TIME									6	2	QTY		DSFM-8	8' SERVICE	SEAF	EX	24	4.8				3	OT/TIME																																																																																																																																																																																																																																													
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
	1	16	FT		FN(MT)	ISLAND (MEDIUM TEMP)	DAIRY	EX	19	4.5				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	2	2	QTY		FW(MT-E)-8	8' WIDE ISLAND, MED TEMP	MEAT	EX	19	6.2				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	3	32	15	10	LFAE-270-S	COOLER	MEAT	EX	20	28.5				1	EL/TEMP																																																																																																																																																																																																																																																																																																																																																																																																							
	4	1	QTY		ESGMS-12	12' SERVICE	MEAT	EX	22	3.2				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	5	1	QTY		PF-6R-60-CMS	8' MULTI-DECK MEAT/SEAFOOD DOUBLE WIDE ISLAND	MEAT	EX	20	12.4				4	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	6	2	QTY		DSFM-8	8' SERVICE	SEAF	EX	24	4.8				3	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
<p>ER</p> <table border="1"> <thead> <tr> <th>RACK</th><th>CKT</th><th>L</th><th>W</th><th>H</th><th>CASE/COIL MODEL</th><th>DESCRIPTION</th><th>DEPT</th><th>STAT</th><th>EVAP TEMP</th><th>LOAD (MBH)</th><th>CON-TROL</th><th>DEFROST #/DAY</th><th>DEFROST TYPE</th><th>REFRIG</th><th>TOTAL LOAD</th><th>COMPRESSOR</th><th>HP</th><th>SUCT TEMP</th><th>CAPACITY</th><th>THR</th><th>PERCENT LOADED</th></tr> </thead> <tbody> <tr><td></td><td>1</td><td>4</td><td>QTY</td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>BEV.</td><td>EX</td><td>32</td><td>13.0</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>1</td><td>QTY</td><td></td><td></td><td>DDXLP-8 (GL DR)</td><td>8' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>BEV.</td><td>EX</td><td>32</td><td>1.6</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>1</td><td>QTY</td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, GL DR RETROFIT</td><td>MEAT</td><td>EX</td><td>32</td><td>3.3</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>3</td><td>2</td><td>QTY</td><td></td><td>DDXLP-8 (GL DR)</td><td>8' FIVE DECK, GL DR RETROFIT</td><td>MEAT</td><td>EX</td><td>32</td><td>4.3</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>QTY</td><td></td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, GL DR RETROFIT</td><td>MEAT</td><td>EX</td><td>32</td><td>6.5</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>4</td><td>1</td><td>QTY</td><td></td><td>M5XGP(LED)-12</td><td>12' FIVE DECK, W/G</td><td>MEAT</td><td>EX</td><td>26</td><td>14.4</td><td></td><td></td><td></td><td>4</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>5</td><td>2</td><td>QTY</td><td></td><td>M5XGP(LED)-8</td><td>8' FIVE DECK, W/G</td><td>MEAT</td><td>EX</td><td>26</td><td>19.3</td><td></td><td></td><td></td><td>4</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>6</td><td>2</td><td>QTY</td><td></td><td>M5XGP(LED)-12</td><td>12' FIVE DECK, W/G</td><td>MEAT</td><td>EX</td><td>26</td><td>28.9</td><td></td><td></td><td></td><td>4</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Configuration: Vertical Reclaim: Air Controller: See Unit 'A', 'F', & 'E' Control Voltage: 208V Control Valve Voltage: 208V Compressor Voltage: 460V</p> <p>ZB45KCE 24 56.1 72.9 ZB45KCE 24 56.1 72.9 ZB45KCE VALVED OFF ZB45KCE VALVED OFF</p> <p>110.2 145.8 62.9%</p> <p>259.0</p> <p>EXISTING 460V Air Cooled Condenser with NEMA 1 VSD Package: HUSSMANN LAVF-22310, 27.45 mbh/deg td capacity, 68 circuits, 9.4 TD</p>																	RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED		1	4	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	13.0				1	OT/TIME									1	QTY			DDXLP-8 (GL DR)	8' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	1.6				1	OT/TIME									2	1	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, GL DR RETROFIT	MEAT	EX	32	3.3				1	OT/TIME									3	2	QTY		DDXLP-8 (GL DR)	8' FIVE DECK, GL DR RETROFIT	MEAT	EX	32	4.3				1	OT/TIME									2	QTY			DDXLP-12 (GL DR)	12' FIVE DECK, GL DR RETROFIT	MEAT	EX	32	6.5				1	OT/TIME									4	1	QTY		M5XGP(LED)-12	12' FIVE DECK, W/G	MEAT	EX	26	14.4				4	OT/TIME									5	2	QTY		M5XGP(LED)-8	8' FIVE DECK, W/G	MEAT	EX	26	19.3				4	OT/TIME									6	2	QTY		M5XGP(LED)-12	12' FIVE DECK, W/G	MEAT	EX	26	28.9				4	OT/TIME																																																																																																																																																																																															
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
	1	4	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	13.0				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	1	QTY			DDXLP-8 (GL DR)	8' FIVE DECK, LOW FRONT, GL DR RETROFIT	BEV.	EX	32	1.6				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	2	1	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, GL DR RETROFIT	MEAT	EX	32	3.3				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	3	2	QTY		DDXLP-8 (GL DR)	8' FIVE DECK, GL DR RETROFIT	MEAT	EX	32	4.3				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	2	QTY			DDXLP-12 (GL DR)	12' FIVE DECK, GL DR RETROFIT	MEAT	EX	32	6.5				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	4	1	QTY		M5XGP(LED)-12	12' FIVE DECK, W/G	MEAT	EX	26	14.4				4	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	5	2	QTY		M5XGP(LED)-8	8' FIVE DECK, W/G	MEAT	EX	26	19.3				4	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	6	2	QTY		M5XGP(LED)-12	12' FIVE DECK, W/G	MEAT	EX	26	28.9				4	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
<p>F</p> <table border="1"> <thead> <tr> <th>RACK</th><th>CKT</th><th>L</th><th>W</th><th>H</th><th>CASE/COIL MODEL</th><th>DESCRIPTION</th><th>DEPT</th><th>STAT</th><th>EVAP TEMP</th><th>LOAD (MBH)</th><th>CON-TROL</th><th>DEFROST #/DAY</th><th>DEFROST TYPE</th><th>REFRIG</th><th>TOTAL LOAD</th><th>COMPRESSOR</th><th>HP</th><th>SUCT TEMP</th><th>CAPACITY</th><th>THR</th><th>PERCENT LOADED</th></tr> </thead> <tbody> <tr><td></td><td>1</td><td>29'6"</td><td>20</td><td>10</td><td>(2) LFA-150-S</td><td>COOLER</td><td>PROD</td><td>EX</td><td>26</td><td>33.6</td><td></td><td></td><td></td><td>4</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>2</td><td>3</td><td>QTY</td><td></td><td>M5XGP(LED)-6</td><td>6' FIVE DECK, W/G</td><td>SEAF</td><td>EX</td><td>26</td><td>7.2</td><td></td><td></td><td></td><td>4</td><td>OT/TIME</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td></td><td>3</td><td>3</td><td>QTY</td><td></td><td>DDXLP-12 (GL DR)</td><td>12' FIVE DECK, LOW FRONT, GL DR RETROFIT</td><td>PROD</td><td>EX</td><td>32</td><td>9.8</td><td></td><td></td><td></td><td>1</td><td>OT/TIME</td><td></td></tr></tbody></table>																	RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED		1	29'6"	20	10	(2) LFA-150-S	COOLER	PROD	EX	26	33.6				4	OT/TIME									2	3	QTY		M5XGP(LED)-6	6' FIVE DECK, W/G	SEAF	EX	26	7.2				4	OT/TIME									3	3	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	PROD	EX	32	9.8				1	OT/TIME																																																																																																																																																																																																																																																																																																																		
RACK	CKT	L	W	H	CASE/COIL MODEL	DESCRIPTION	DEPT	STAT	EVAP TEMP	LOAD (MBH)	CON-TROL	DEFROST #/DAY	DEFROST TYPE	REFRIG	TOTAL LOAD	COMPRESSOR	HP	SUCT TEMP	CAPACITY	THR	PERCENT LOADED																																																																																																																																																																																																																																																																																																																																																																																																	
	1	29'6"	20	10	(2) LFA-150-S	COOLER	PROD	EX	26	33.6				4	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	2	3	QTY		M5XGP(LED)-6	6' FIVE DECK, W/G	SEAF	EX	26	7.2				4	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							
	3	3	QTY		DDXLP-12 (GL DR)	12' FIVE DECK, LOW FRONT, GL DR RETROFIT	PROD	EX	32	9.8				1	OT/TIME																																																																																																																																																																																																																																																																																																																																																																																																							